## CONTENTS OF VOLUME 38

Adhav, R. S. On the optical and electrical properties of semitransparent copper films, 1570.

Alexander, T. K. See Walker, W. H., 57.

Allin, E. J. See Gush, H. P., 176.

Armstrong, R. A. and Szabo, A. Relaxation in ruby, 1304.

Artna, A. and Law, M. E. The decay of Pm<sup>19</sup>, 1577.

Aust, K. T. Relative energies of tilt-type subboundaries in aluminum, 547.

Aust, K. T. Relative energies of tilt-type subboundaries in aluminum, 547.

Bailey, D. K. and Pomerantz, M. A. The cosmic ray increase of 17 July 1959, 332.

Barber, R. C. See Isenor, N. R., 819.

Barrington, R. E. and Nishizaki, T. The hydrogen ion effect in whistler dispersion, 1642.

Bartholomew, G. A. Internal pair angular correlation spectrometer for determination of ray multipolarities, 871 Bartholomew, G. A., Campion, P. J., and Robinson, K. A study of methods for obtain-

ing high resolution with a pair spectrometer, 194.

Bedford, R. E. A low temperature standard of total radiation, 1256.

Bell, R. E. and Jørgensen, M. H. Mean lives of positrons in aluminum and the alkali

metals, 652.

Benson, C. B. and Hollis Hallett, A. C. Viscosity measurements in liquid helium II, 1376.

Benson, G. C. See Dempsey, E., 399.

Bergsteinsson, J. L. See Roalsvig, J. P., 320.

Berry, R. J. The reproducibility of the sulphur point, 1027.

Bhattacharyya, B. K. Correlation studies of radio-aurora, magnetic, and earth-current dis-

turbances, 624.

A study of auroral motions from all-sky camera records, 1279. The source of noise in ebulliometry, 565.

Blackmore, W. R. The source of noise in Bloom, M. See Muller, B., 1318.
Bolling, G. F. See Sekerka, R. F., 883.
Boucher, R. R. See Michaud, G. G., 555.

Bourret, R. An hypothesis concerning turbulent diffusion, 665.

Bourret, R. C. Velocity autocorrelations of charged particles in a magnetoionic medium with applications to turbulent diffusion, 1213.

with applications to turbulent diffusion, 1213.

Bresesti, M. See Roy, J. C., 1428.

Brysk, H. The radar cross section of a semi-infinite body, 48.

Burgess, R. E. Negative resistance in semiconductor devices, 369.

Campion, P. J. See Bartholomew, G. A., 194.

Carruthers, J. A. See Clifford, C. E., 504.

Chapman, J. H. The polar radio black-out of the ionosphere of 7 July, 1958, 1195.

Clark, M. A. Transition intensities and conversion coefficients in Dy<sup>160</sup>, 262.

Clark, M. A. and Robson, J. M. Asymmetries in the beta decay of polarized neutrons, 693.

Clifford, C. E., Carruthers, J. A., and Cunningham, J. R. γ-Radiation at air–ground interfaces with distributed Cs<sup>157</sup> sources, 504.

Cox, C. D. Bulk photoeffects in inhomogeneous semiconductors, 1328.

Crawford, J. E. See Stryland, J. C., 1546.

Cunningham, J. R. See Clifford, C. E., 504.

Currie, B. W. See Kim, J. A., 1366.

Daniels, J. M. and Farach, H. A. "Spin-flip narrowing" of paramagnetic resonance lines, Daniels, J. M. and Rieckhoff, K. E. Spin lattice relaxation in neodymium ethylsulphate

at liquid helium temperatures, 604.

Das, S. C. Comparison of flow lines in various types of rheological bodies, 32.

Dauphinee, T. M. See Preston-Thomas, H., 824.

Davison, B. On the rate of convergence of the spherical harmonics method (for the plane

case, isotropic scattering), 1526.

Demers, J. See Fournaux, J., 1482.

Demers, P. See Fournaux, J., 1482.

Dempsey, E. and Benson, G. C. Tables of the modified Bessel functions of the second kind

Dempsey, E. and Benson, G. C. Tables of the modified Bessel functions of the second Rind for particular types of argument, 399.

Dixon, R. N. A <sup>2</sup>II-<sup>2</sup>II electronic band system of the free NCO radical, 10.

Duckworth, H. E. See Isenor, N. R., 819.

Durie, R. A. and Herzberg, G. Forbidden transitions in diatomic molecules. V. The rotation-vibration spectrum of the hydrogen-deuteride (HD) molecule, 806.

Durie, R. A., Legay, F., and Ramsay, D. A. An emission system of the IO molecule, 444.

Eastwood, T. A. and Werner, R. D. The thermal neutron capture cross section and resonance active integral of protectinium 232, 751. ance capture integral of protactinium-233, 751.

Eaton, D. R. Infrared temperature and line strength measurements on carbon monoxide

excited in a radio-frequency discharge, 390.

Ebisuzaki, R. See Jarmain, W. R., 510.

Edwards, M. H. and Woodbury, W. C. Condensation of supersaturated He4 vapor in a cloud chamber, 335. vards, W. D. Liquid-solid interface shape observed in silicon crystals grown by the

Edwards, W. D. Liquid-solid interface shape observed in silicon crystals grown by the Czochralski method, 439.

Englefield, M. J. Use of Racah algebra in evaluating commutators, 315.

Ewan, G. T., Graham, R. L., and Grodzins, L. The K-LL Auger spectrum of 65 Sm<sup>152</sup>, 163

Ewan, G. T. and Merritt, J. S. Relative intensities of K-LL Auger lines in 64Gd156, 324. Farach, H. A. See Daniels, J. M., 151.

Farley, T. A. Half-period of Th<sup>202</sup>, 1059.

Fejer, J. A. Scattering of radio waves by an ionized gas in thermal equilibrium, 1114.

Forsyth, P. A. On the geometry of radio reflections from aurora, 593.

Forsyth, P. A., Green, F. D., and Mah, W. The distribution of radio-aurora in central

Canada, 770 Fournaux, J., Demers, J., and Demers, P. Fabrication et étude des propriétés des émulsions ionographiques, 1482.
 Fraser, P. A. See McEachran, R. P., 317.
 Fritze, K. and Kennett, T. J. The identification and half lives of fission-product Rb<sup>22</sup>

and Rb93, 1614.

Garber, M., Henry, W. G., and Hoeve, H. G. A magnetic susceptibility balance and the temperature dependence of the magnetic susceptibility of copper, silver, and gold, 295°-975° K, 1595.

Garrett, C. See Henry, W. H., 1677.

Gaudet, G., Hedgoock, F. T., Lamarche, G., and Wallingford, E. W. The electrical

resistance maximum in dilute magnesium alloys, 1134.

Geiger, K. W. The status of the Canadian neutron standard, 569.
Gold, L. W. The cracking activity in ice during creep, 1137.
Graham, R. L. See Ewan, G. T., 163.

Green, E. See Preston-Thomas, H., 824.
Green, F. D. See Forsyth, P. A., 770.
Green, G. W. and Lew, H. Rotational spectrum of K<sup>20</sup>F by the molecular beam electric resonance method, 482.

resonance method, 482.
Grodzins, L. See Ewan, G. T., 163.
Grummitt, W. E. See Milton, G. M., 1690.
Gush, H. P., Hare, W. F. J., Allin, E. J., and Welsh, H. L. The infrared fundamental band of liquid and solid hydrogen, 176.
Hare, W. F. J. See Gush, H. P., 176.
Harrower, G. A. See Ryan, W. D., 883.
Haslam, R. N. H. See King, J. D., 231, 1069; Roalsvig, J. P., 320.
Hawton, I. J. See Roy, J. C., 1428.
Hedgook, F. T. See Gandet, G., 1134.
Hedgook, F. T., Muir, W. B., and Wallingford, E. The electrical resistance of dilute magnesium and aluminum alloys at low temperatures, 376.

magnesium and aluminum alloys at low temperatures, 376.

van Heerden, I. J. and Judek, B. The relative abundances of cosmic ray nuclei of charge

Z > 3, 964.

Held, G. See Ishimaru, A., 78.

Henry, W. G. and Rogers, J. L. The magnetic susceptibilities of some diamagnetic alloys.

The primary solid solutions of cadmium, indium, tin, and antimony in copper and in silver; zinc, gallium, germanium, and arsenic in silver; copper in silver and silver in copper, 908 Henry, W. H. and Garrett, C. The Canadian standard free-air chamber for medium quality

X-rays, 1677.

Herzberg, G. See Durie, R. A., 806.

Herzberg, L. The wavelength displacements of some infrared lines between limb and center of the sun. II, 853.

Hines, C. O. Internal atmospheric gravity waves at ionospheric heights, 1441.

Hirth, J. P. See Rapp, R. A., 709.

Hoeve, H. G. See Garber, M., 1595.

Hollis Hallett, A. C. See Benson, C. B., 1376; Jones, G. H. S., 696.

Holuj, F. and Petch, H. E. A nuclear magnetic resonance study of colemanite, 515.

Hunten, D. M. A condenser memory unit for improving signal-to-noise ratios, 346.

See also Lytle, E. A., 477; Vallance Jones, A., 458. **Hurd, R. A.** Diffraction by a unidirectionally conducting half-plane, 168.

An electromagnetic diffraction problem involving unidirectionally conducting surfaces, 1229.

Isenor, N. R., Barber, R. C., and Duckworth, H. E. Some recent determinations of atomic masses in the strontium-zirconium region, 819.

Ishimaru, A. and Held, G. Analysis and synthesis of radiation patterns from circular

Ishimaru, A. and Held, G. Analysis and synthesis of radiation patterns from circular apertures, 78.
Jarmain, W. R. Klein-Dunham potential energy functions in simplified analytical form, 217.
Jarmain, W. R., Ebisuzaki, R., and Nicholls, R. W. Franck-Condon factors and r-centroids for some bands of the CO fourth positive (A<sup>1</sup>Π-X<sup>1</sup>Σ) band system, 510.
Jones, G. H. S. and Hollis Hallett, A. C. The specific heat of crystalline quartz between 2° K and 4° K, 696.
Jørgensen, M. H. See Bell, R. E., 652.
Judek, B. See van Heerden, I. J., 964.
Kalra, S. N. Frequency measurement of standard frequency transmissions, 150, 332, 513, 576, 713, 881, 971, 1136, 1228, 1395, 1552, 1712.
See also Preston-Thomas, H., 824.
Katzman, J. and Venkatesan, D. A world-wide study of the daily variation of the nucleonic component of cosmic rays, 1011.

component of cosmic rays, 1011.

component of cosmic rays, 1011.

Kavanagh, T. M. Decay of Au<sup>196m</sup>, 1436.

Keller, J. B. See Levy, B. R., 128.

Kennett, T. J. See Fritze, K., 1614.

Kennett, T. J. and Thode, H. G. Diffusion phenomena and isotope effects in the extraction of the force product the conditional conditions and leaves the conditional conditions. of fission-product xenon and krypton from irradiated U<sub>3</sub>O<sub>8</sub>, 945. **Kerwin, L.** See McGowan, Wm., 567, 642; Marmet, P., 787, 972. **Kim, J. A.** and **Currie, B. W.** Further observations of the horizontal movements of aurora,

1366.

King, J. D., Haslam, R. N. H., and McDonald, W. J. The gamma-neutron cross section for F<sup>19</sup>, 1069.
 King, J. D., Haslam, R. N. H., and Parsons, R. W. The gamma-neutron cross section

for N14, 231.

Kirkaldy, J. S. The thermodynamic description of heterogeneous dissipative systems by variational methods. I. A formulation of the principle of minimum rate of entropy production with application to certain stationary heterogeneous convective systems, 1343. The thermodynamic description of heterogeneous dissipative systems by variational

methods. II. A variational principle applicable to non-stationary (unconstrained) heterogeneous dissipative systems, 1356

geneous dissipative systems, 1396.

Kjelberg, A., Taniguchi, H., and Yaffe, L. Gamma radiation in the decay of Ag<sup>113</sup>, 866.

Kollar, F. See Russell, R. D., 616.

Kovács, I. Intensities in Σ-Δ and Π-Δ transitions of diatomic molecules, 955.

Lamarche, G. See Gaudet, G., 1134.

Laubitz, M. J. Thermal and electrical properties of Armco iron at high temperatures, 887.

Law, M. E. See Artna, A., 1577.

Lee-Whiting, G. E. A Compton-electron γ-spectrometer with two-directional focusing, 720.

Legay, F. Analyse de la bande 1-0 du système ³∏₁-3∑- de PH, 797.

See also Durie, R. A., 444.

Levy, B. R. and Keller, J. B. Diffraction by a spheroid, 128.

Lew, H. See Green, G. W., 482.

Lew, H. and Title, R. S. Note on the hyperfine structure of the 2s²2p ²P↓ state of boron 10 and 11, 868.

Litherland, A. E. and McCallum, G. J. An illustration of a type of triple correlation measurement which can be easily interpreted, 927.
 Lockwood, G. E. K. Spin rate of the satellite Echo I as determined by a tracking radar,

1713.

Loh, S. C. The radiation characteristics of a sinuate antenna, 119.
Lyon, G. F. The association of visible auroral forms with radar echoes, 385.

Lytle, E. A. and Hunten, D. M. Dawn enhancement of auroral N<sub>2</sub>\* emission, 477.

McCallum, G. J. See Litherland, A. E., 927.

McDiarmid, I. B. and Rose, D. C. High-altitude cosmic ray measurements at Fort Churchill, 638

McDonald, W. J. See King, J. D., 1069.
McEachran, R. P. and Fraser, P. A. d-Wave contribution to electron-hydrogen atom scattering, 317.

McGowan, Wm. and Kerwin, L. Some sensitivities of ion gauges, 567.

Some oxygen ions formed at high pressures in a mass spectrometer, 642.

McLaren, E. H. and Murdock, E. G. The freezing points of high purity metals as pre-McLaren, E. H. and Murdock, E. G. The freezing points of high purity metals as precision temperature standards. V. Thermal analyses on 10 samples of tin with purities greater than 99.99+%, 100.

The freezing points of high purity metals as precision temperature standards. Thermal analyses on five samples of lead with purities greater than 99.999+%, 577.

McMillan, M. and Opechowski, W. On the temperature dependence of the shape of para-

magnetic resonance lines, 1168.

McNamara, A. G. An analysis of some statistical properties of auroral radar reflections and their relationships to the detection capabilities of the radar, 425.

Mah, W. See Forsyth, P. A., 770.

Marmet, P. and Kerwin, L. An improved electrostatic electron selector, 787.

Experimentally measured vibrational levels in H<sub>2</sub><sup>+</sup>, 972.

Marr, G. V. and Swarup, P. Spin-lattice relaxation effects observed in the continuous power saturation of paramagnetic lines, 495.

Martin, D. L. The specific heat of copper from 20° to 300° K, 17.

The specific heat of a lithium-magnesium alloy. The martensitic transformation, 25. The specific heat of annealed and cold-worked copper from 0.4° to 1.5° K, 1390.

Mastoor, M. A. See Stryland, J. C., 1546.

Merritt, J. S. See Ewan, G. T., 324.

Michaud, G. G. and Boucher, R. R. Neutron sources from the beryllium reduction of plutonium dioxide, 555.

Millar, R. F. A note on diffraction by an infinite slit, 38.

The scattering of a plane wave by a row of small cylinders, 272.

Milton, G. M. and Grummitt, W. E. The "reactor" neutron capture cross section of Y<sup>91</sup>, 1690.

Moore, R. B. and White, W. Tables of rotational energy levels of deformed even-even nuclei, 1149.

Morris, D. See Mungall, A. G., 779, 1510. Morris, D. and Mungall, A. G. TE surface waves guided by a dielectric-covered metal

plane, 1553. **Muir, W. B.** See Hedgcock, F. T., 376.

Muller, B. and Bloom, M. On the study of diffusion using spin echoes, 1318.

Mungall, A. G. See Morris, D., 1553.

Mungall, A. G. and Morris, D. The group velocity of plane surface waves, 779. Time delay and frequency response of resonant cavities, 1510. k, E. G. See McLaren, E. H., 100, 577.

Murdock, E. G. See McLaren, E. H., 100, 577.

Newton, T. D. On the axial symmetry of the Nilsson model nucleus, 700.

Nicholls, R. W. The Franck-Condon factor  $(Q_{v'v'})$  array to high vibrational quantum Nicholis, K. W. The Franck-Condon factor  $(Q_{\sigma'\sigma'})$  array to high vibrational quantum numbers for the  $O_2(B^3 Z_{-}X^3 Z_{\sigma}^4)$  Schumann-Runge band system, 1705. See also Jarmain, W. R., 510; Parkinson, W. H., 715.

Nishizaki, T. See Barrington, R. E., 1642.

Opechowski, W. See McMillan, M., 1168.

Parkinson, W. H. and Nicholls, R. W. Spectroscopic temperature measurements in a

shock tube using CN as a thermometric molecule, 715. Parsons, R. W. See King, J. D., 231.

Pearson, J. M. The nuclear matrix element ratio in the 0<sup>-</sup> → 0<sup>+</sup> beta transition of Pr<sup>144</sup>, 148.

Pearson, W. B. The thermoelectric power of annealed and cold-worked silver and gold at low temperatures, 1048.

Petch, H. E. See Holuj, F., 515.
Plaskett, T. S. and Winegard, W. C. Cell to dendrite transition in tin base alloys, 1077. Plonus, M. A. Backscattering from a conducting cylinder with a surrounding shell, 1665. Pomerantz, M. A. See Bailey, D. K., 332; Wilson, B. G., 328.

Pound, G. M. See Rapp, R. A., 709. Pounder, E. R. See Smith, M., 354.

Preston-Thomas, H., Turnbull, L. G., Green, E., Dauphinee, T. M., and Kalra, S. N. An absolute measurement of the acceleration due to gravity at Ottawa, 824.

Rabinovitch, W. Exponential transfer and diffusion, 1406.

Ramsay, D. A. See Durie, R. A., 444.

Rao, K. S., Stoicheff, B. P., and Turner, R. High resolution Raman spectroscopy of gases. XIII. Rotational spectra and structures of the zinc-, cadmium-, and mercury-disabled ballonger 1516. dimethyl molecules, 1516.

Rapp, R. A., Hirth, J. P., and Pound, G. M. On the condensation coefficient in the growth of silver from the vapor phase, 709.

Rastall, P. An approach to a theory of gravitation, 975. A solution of the Einstein field equations, 1661.

Risckhoff, K. E. See Daniels, J. M., 604. Roalsvig, J. P., Haslam, R. N. H., and Bergsteinsson, J. L. A note of the reaction  $\mathbb{Z}^{n^{g}}(\gamma, n)\mathbb{Z}^{n^{g}}$ , 320.

Zn<sup>9</sup>(γ,n/Zn<sup>9</sup>, 320.

Robinson, K. See Bartholomew, G. A., 194.

Robson, J. M. See Clark, M. A., 693.

Rogers, J. L. See Henry, W. G., 908.

Rose, D. C. The sudden increase in cosmic ray intensity of May 4, 1960, 1224.

See also McDiarmid, I. B., 638; Wilson, B. G., 328.

Roy, J. C., Bresesti, M., and Hawton, J. J. On the production of Be<sup>7</sup> in the NRX reactor by the B<sup>10</sup>(p,a)Be<sup>7</sup>, Li<sup>7</sup>(p,n)Be<sup>7</sup>, and Li<sup>4</sup>(d,n)Be<sup>7</sup> reactions, 1428.
 Russell, R. D. and Kollar, F. Transistorized power supplies for a mass spectrometer, 616.

Ryan, W. D. and Harrower, G. A. An apparent solar periodicity in radio star scintillation, 883

Scheidegger, A. E. On the stability of displacement fronts in porous media: A discussion of the Muskat-Aronofsky model, 153.

Schoen, L. J. Triboluminescence in a mercury bubbler, 967.

Schwerdtfeger, P. Observations on estuary ice, 1391.

Scott, S. A. See Taylor, H. W., 573.

Sekerka, R. F., Bolling, G. F., and Tiller, W. A. Observations of macromosaic substructures in lead, 883

Sen, D. K. A complex non-analytic manifold and conformal Milikowski space.

Senior, T. B. A. Scalar diffraction by a prolate spheroid at low frequencies, 1632.

A note on Hansen's vector wave functions, 1702. A complex non-analytic manifold and conformal Minkowski space-time, 145.

A note on Hansen's vector wave functions, 1702.

Seshadri, S. R. Scattering by a narrow unidirectionally conducting infinite strip, 1623.

Sharma, B. See Whyte, G. N., 877.

Sharma, R. C. See Steenberg, N. R., 290.

Sharp, R. T. See Smith, R. C., 1154.

Shenstone, A. G. The third spectrum of cobalt (Co III), 677.

Shepherd, G. G. A Fabry-Perot spectrometer for auroral and airglow observations, 1560.

Shukla, R. C. See Varshni, Y. P., 1547.

Skinner, R. See Weaver, J. T., 1089, 1104.

Smith, A. W. and Williams, G. W. Domain structure in yttrium iron garnet, 1187.

Smith, D. S. A method of precise fringe pointing, 983.

Smith, M. and Pounder, E. R. Impurity concentration profiles in ice by an anthrone method, 354. method, 354.

method, 354.

Smith, R. C. and Sharp, R. T. Central three-body forces in heavy nuclei, 1154.

Smith, R. W. The white tin 

grey tin transition in tin-mercury alloys, 588.

Steenberg, N. R. and Sharma, R. C. Alpha decay and fission of aligned nuclei, 290.

Stevenson, R. Magneto-optical rotation in very high fields, 941.

Stoicheff, B. P. See Rao, K. S., 1516.

Stryland, J. C., Crawford, J. E., and Mastoor, M. A. Melting temperatures of krypton,

xenon, and methane at pressures up to 3000 atm, 1546. Swarup, P. See Marr, G. V., 495. Szabo, A. See Armstrong, R. A., 1304.

Szabo, A. See Armstrong, R. A., 1304.
Taniguchi, H. See Kjelberg, A., 868.
Taylor, H. W. See Whyte, G. N., 877.
Taylor, H. W. and Scott, S. A. High-energy gamma radiation from Ag<sup>110m</sup>, 573.
Terentiuk, F. See Wolfson, J. L., 991.
Thode, H. G. See Kennett, T. J., 945; Young, B. G., 1.
Thomas, M. A. and Welsh, H. L. The Raman spectrum of methane, 1291.
Tiller, W. A. See Sekerka, R. F., 883.
Title, R. S. See Lew, H., 868.
Trainor, L. E. H. Considerations on a meson-atomic model of the nucleon, 1245.
Turnbull, L. G. See Preston-Thomas, H., 824.
Turner, R. See Rao, K. S., 1516.
Vallance Jones, A. An analysis of a spectrogram of the red aurora of February 10/11, 1958, in the wavelength range 7300–8700 Å, 453. 1958, in the wavelength range 7300-8700 Å, 453.

Vallance Jones, A. and Hunten, D. M. Rotational and vibrational intensity distribution

Vanier, J. Temperature dependence of the pure nuclear quadrupole resonance frequency in KClO<sub>3</sub>, 1397.

Van Kranendonk, J. Theory of the infrared and Raman spectra of solid parahydrogen,

Varshni, Y. P. and Shukla, R. C. On James' type of wave functions for hydrogen molecular ion, 1547.

Venkatesan, D. See Katzman, J., 1011.

Wait, J. R. Propagation of electromagnetic waves along a thin plasma sheet, 1586.

Walker, W. H., Westcott, C. H., and Alexander, T. K. Measurement of radiative capture resonance integrals in a thermal reactor spectrum, and the thermal cross section of Pu-240,

Wallingford, E. See Hedgcock, F. T., 376.
Wallingford, E. W. See Gaudet, G., 1134.
Weaver, J. T. and Skinner, R. A theory of ionospheric currents associated with aurorae. I, 1089.

A theory of ionospheric currents associated with aurorae. II, 1104.

Welsh, H. L. See Gush, H. P., 176; Thomas, M. A., 1291. Werner, R. D. See Eastwood, T. A., 751. Westcott, C. H. See Walker, W. H., 57. White, W. See Moore, R. B., 1149.

Whyte, G. N., Sharma, B., and Taylor, H. W. A note on the decay of Cs<sup>122</sup>, 877.
Williams, G. W. See Smith, A. W., 1187.
Williams, W. E. A note on diffraction by a half plane, 507.
Wilson, B. G., Rose, D. C., and Pomerantz, M. A. The unusual cosmic ray events of July 17-18, 1959, 328.
Winegard, W. C. See Plaskett, T. S., 1077.
Wolfe, J. L. Measurements of the last few periods of Sputnik III by a radio direction finder,

882.
Wolfson, J. L. and Terentiuk, F. Concentration of particulate air-borne fission products at ground level in Canada during I.G.Y., 991.
Woodbury, W. C. See Edwards, M. H., 335.
Wu, T.-Y. Electron – hydrogen atom scattering in Born approximation, 1654.
Yaffe, L. See Kjelberg, A., 866.
Young, B. G. and Thode, H. G. Absolute yields of the zenon and krypton isotopes in U<sup>238</sup>

spontaneous fission, 1.

Ziauddin, S. Simultaneous observations of pulsations in the geomagnetic field and in

ionospheric absorption, 1714.

